Appendix B



Important Information

Dear Sir or Madam

North Tyneside Council are currently trialling a new street lighting regime, which will reduce the street lighting output between the hours of Midnight and 5.30am. This change will help us achieve our ongoing commitments to the environment by reducing our energy consumption from the street lighting.

I would be most grateful if you would take a few minutes to complete the following questionnaire and return it in the prepaid envelope attached.

	r opinion is important to us and the information you provide will help North Tyrception of the lighting output changes.	neside (Council	, to ass	ess the	e reside	
	Please tell us you're Street/Road /Avenue Name-						
	r each question, please tick the box that best reflects your experience. ou are unable to comment on a question, please leave all the boxes blank.	VERY GOOD	G00D	ACCEPTABLE	POOR	VERY POOR	
1.	The new lighting output changes are effective between the hours of Midnight & 5.30am, can you advise your opinion on these hours of change						
2.	How do you view the new Street lighting output between the hours of midnight and 5.30am						
3.	Now that the lighting changes are complete, how would you rate this as a permanent change in your Street/Road/ Avenue						
4.	How do you view this new lighting output as a permanent change across North Tyneside, in a bid to reduce energy consumption and in turn reducing the impact this has on the environment						
	Extra space is available below for any further comments you may have re	gardin	g the v	vork ur	ndertak	en.	
CO	ease feel free to add any further comments you would like to make about impleted outside your premises in the space provided below. It would be li us a little more about any of the subjects you have described as being 'p	particu	ılarly h	elpful			
	The following personal details do not have to be completed unle	ess you	ı wish t	to do s	0.		
	Name: Telephone No:						

Appendix B

Thank you in anticipation of your assistance in this exercise.